

REACH

INSTALLATION MANUAL


DUAL MONITOR ARM

Gebesa
gebesa.com


MODULE LIST




A
1x



B
2x



C
2x



D
2x

PART LIST



M4x12

a
8x



M8x160

b
1x



c
1x



M4

d
1x



M6



e
1x

PRODUCT SPECIFICATION



Sketch						
Item	Monitor size	Weight range (kg)	Lift (mm)	Tilt	Swivel	Pivot
Specification	≤24"	2-10	340	+75°~ -30°	±90°	±90°

Sketch					Desk thickness (mm)	
Item	VESA	Packing size (mm)	N.W (kg)	G.W (kg)	Thrudesk	Desk clamp
Specification	75*75	Inner: 580*225*165	Inner: 6.5	Inner: 7.5	60	50
	100*100	Outside: 595*240*515 Inner/Outside: 3/1	Outside: 19.5	Outside: 23		



PRODUCT SIZE



INSTALLATION – DESK CLAMP




INSTALLATION – THRU-DESK




INSTALL PROCEDURE


1




2




3




4




5




6



ADJUST PROCEDURE




1



2

Don't adjust this unless the gas arm is horizontal




3

Try more to make above adjustment based on monitor weight to get best free-stop effect

4

Monitor remove



Questions?

Call toll free 1-844-2GEBESA
or email warranty@gebesa.com

Gebesa
gebesa.com