


Gebeso | CREATING AMAZING SPACES

STRUCTURE GALLERY **PANELS** WORKSURFACES PEDESTALS 20 FILING AND MOUNTING STORAGE TILES COLLABORATIVE ACCESSORIES **TABLES** 32 30 POWER AND DIMENSIONS DATA 40

GUIDELINES

FINISHES




SYNERGY_

The basis of Synergy is upholstered or laminated monolithic panels, which create functional spaces with a simple, acoustic solution. Easy to assemble and with wire management capabilities, this collection inspires productivity and efficiency.

Synergy provides quick response to the specific needs of dynamic workplaces without compromising functionality and image—along with a wide variety of accessories to equip and customize your workstations.

.STRUCTURE







Panels

The design of the Synergy panels creates a uniform and elegant finish. It has a thickness of 2". Choose fabric or low-pressure finishes.

Adapt the workstations according to your needs with the different measures available, ranging from 35" to 85" in height and 18" to 60" in width.





Make it your own

Optimize the functions of your workstation based on modular systems with panel connectors. Adapt the length to the height of your panel, which measures 2x2". Install between panels whenever your design requires a change of direction.

The metal finishing caps of the Synergy line, designed to be placed on the final panel of your configuration, guarantee an optimal aesthetic by closing the metal structure that allows the joints to use wedges, leaving its interior hidden.

A world of possibilities!

Thanks to the wedge blocks, keep each panel attached and select how the panels coexist, making the most of the spaces.

Choose the finishes and dimensions of your modular system, make the most of its power source at the bottom, and create a space fully adapted to the needs of your office.



Wedge Blocks




A NEW LEVEL OF PERSONALIZATION OF SPACES!

Gallery Panels are an affordable, elegant, and practical way to incorporate separation and privacy into your panel system configuration. Customize your environment with a wide variety of low-pressure finishes.

Our Gallery Panels can be attached to create divisions, through junctions with the panels, or at the end of a configuration redefines the boundaries of a workspace.

CONFIGURATIONS





WORKSURFACES

SYNERGY

Furniture color may vary from renderings.



Straight



Transition - Curved



Transition - Straight



Corner - Curved



Corner - Straight



Bullet



Hatchet



Peninsula



"P" Top



Irregular

1/4 Round



End





Half-Round



Boomerang



Transaction Counter



_PEDESTALS

SYNERGY







File/File Metallic Pedestal

Box/Box/File Metallic Pedestal

LPL, HPL, Veneer Pedestal

HANDLES (For LPL, HPL, or VENEER pedestal fronts)

Standard Handles



Platinum Black

Additional Handle Options



Kenza







Spazio Senior

Millenium



FILING AND STORAGE

SYNERGY

LATERAL FILES

STORAGE CABINETS



Global 2-drawer metal lateral file



Metal combo file



Laminate and Veneer Fronts



Metal Structure

OVERHEAD



Open Overhead



Overhead with Flipper Door

The overheads can be:



Wall mount

MOUNTING TILES

SYNERGY



TACKABLE MOUNTING TILE

Solve task organization needs in your modular system. Install our puncturable panel and optimize space by placing it directly on the screen.



WHITEBOARD MOUNTING TILE

Install our paint patch on the screens of your Synergy modular system and exchange ideas between collaborators and write down notes, issues or info.



MOUNTING TILE

Create an optimal base for other accessories to be fastened such as a vase holder or pen. Our panel achieves the right conditions for all elements to have their place.



COLLAB. TABLES

SYNERGY




Collaborative Tables bring elegance to any space. Position your way from boardrooms and offices to training and break rooms.


Mix and match with Synergy Panels to create the ultimate ergonomic and collaborative work environment.




ACCESSORIES: ACRYLIC DOORS










ACCESSORIES








_POWER AND DATA



- 8-Trac: Height A / "Y" Dimension .875 / "Z" Dimension 2.14
- Phase 3: Height C / "Y" Dimension 1.125 / "Z" Dimension 2.64



_DIMENSIONS

	MONOLITHIC PANELS (Height 35" (90 cm) / 2" depth)	PANEL CONNECTOR (2" × 2")			
W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)		35" (90 cm) 45" (115 cm) 55" (140 cm) 65" (165 cm) 75" (190 cm) 85" (215 cm)			
	MONOLITHIC PANELS (Height 45" (115 cm) / 2" depth)	POWER POLE FOR CONNECTOR			
	W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)	10" (25 cm) 30" (75 cm) 50" (125 cm) 70" (175 cm) 90" (225 cm)			
	MONOLITHIC PANELS (Height 55" (140 cm) / 2" depth)	END CAPS			
	W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)	35" (90 cm) 45" (115 cm) 55" (140 cm) 65" (165 cm) 75" (190 cm) 85" (215 cm)			
	MONOLITHIC PANELS (Height 65" (165 cm) / 2" depth)	CHANGE OF THE END CAP			
	W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm)	10" (25 cm) 20" (50 cm) 30" (75 cm) 40" (100 cm) 50" (125 cm)			
	MONOLITHIC PANELS (Height 75" (190 cm) / 2" depth)	GALLERY PANELS - "L", "T" CONFIGURATION - 36"			
	W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm)	24 x 36" 30 x 36" 36 x 36" 42 x 36" 48 x 36" 60 x 36" 72 x 36"			
	MONOLITHIC PANELS (Height 85" (215 cm) / 2" depth)	GALLERY PANELS - "L", "T" CONFIGURATION - 45"			
	W: 18" (45 cm) 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm)	24 x 45" 30 x 45" 36 x 45" 42 x 45" 48 x 45" 60 x 45" 72 x 45"			
	KNOCKOUTS PER PANEL	GALLERY PANELS - "L", "T" CONFIGURATION - 55"			
	18" (1) 24" (1) 30" (2) 36" (2) 42" (2) 48" (2) 60" (2)	24 x 55" 30 x 55" 36 x 55" 42 x 55"			

DIMENSIONS

SYNERGY

GALLERY PANEL - "Y", "X" CONFIGURATION - 36"

48" x 36" | 60" x 36" | 72" x 36" | 85" x 36"

GALLERY PANEL - "Y", "X" CONFIGURATION - 45"

48" x 45" | 60" x 45" | 72" x 45" | 85" x 45"

STRAIGHT WORKSURFACES (Depths: 24" (60 cm) / 30" (75 cm))

18" (45 cm) | 24" (60 cm) | 30" (75 cm) | 36" (90 cm) | 42" (105 cm) | 48" (120 cm) | 60" (150 cm) | 72" (180 cm)

TRANSITION - CURVED (Depth 30" (75 cm) / Connection (Z) 24" (60 cm))

W: 30" (75 cm) | 36" (90 cm) | 42" (105 cm) | 48" (120 cm) | 60" (150 cm) | 72" (180 cm)

TRANSITION - STRAIGHT (Depth 30" (75 cm) / Connection (Z) 24" (60 cm))

W: 30" (75 cm) | 36" (90 cm) | 42" (105 cm) | 48" (120 cm) | 60" (150 cm) | 72" (180 cm)



D Z

Transition - Curved



CORNER (CURVED AND STRAIGHT) WORKSURFACE (D x W x Z)


36" (90 cm) x 36" (90 cm) x 24" (60 cm) | 36" (90 cm) x 42" (105 cm) x 24" (60 cm) 48" (120 cm) x 36" (90 cm) x 24" (60 cm) | 42" (105 cm) x 42" (105 cm) x 24" (60 cm) 42" (105 cm) x 42" (105 cm) x 30" (75 cm) | 48" (120 cm) x 42" (105 cm) x 24" (60 cm) 48" (120 cm) x 42" (105 cm) x 30" (75 cm) | 60" (150 cm) x 36" (90 cm) x 24" (60 cm) 48" (120 cm) x 48" (120 cm) x 24" (60 cm) | 48" (120 cm) x 48" (120 cm) x 30" (75 cm) 60" (150 cm) x 42" (105 cm) x 24" (60 cm) | 60" (150 cm) x 42" (105 cm) x 30" (75 cm) 60" (150 cm) x 48" (120 cm) x 24" (60 cm) | 60" (150 cm) x 48" (120 cm) x 30" (75 cm)

BULLET WORKSURFACE ($D \times W$)

24" (60 cm) x 60" (150 cm) | 24" (60 cm) x 65" (165 cm) | 24" (60 cm) x 72" (180 cm) 30" (75 cm) x 60" (150 cm) | 30" (75 cm) x 65" (165 cm) | 30" (75 cm) x 72" (180 cm)

HATCHET AND PENINSULA WORKSURFACES (D \times W \times Z)

36'' (90 cm) x 72" (180 cm) x 24" (60 cm) | 36'' (90 cm) x 72" (180 cm) x 30" (75 cm)









Hatchet

Peninsula

DIMENSIONS

SYNERGY

"P" TOP WORKSURFACE ($D \times W \times Z$)

36" (90 cm) x 72" (180 cm) x 30" (75 cm)

IRREGULAR WORKSURFACE (D x W x Z)

30'' (75 cm) x 60" (150 cm) x 24" (60 cm) | 30'' (75 cm) x 72" (180 cm) x 24" (60 cm) 30'' (75 cm) x 72" (180 cm) x 30" (75 cm)

END WORKSURFACE (Depth 24" (60 cm))


24" (60 cm) | 30" (75 cm) | 36" (90 cm) | 42" (105 cm) | 48" (120 cm)


END WORKSURFACE (Depth 30" (75 cm))

24" (60 cm) | 30" (75 cm) | 36" (90 cm) | 42" (105 cm) | 48" (120 cm)

1/4 ROUND WORKSURFACE

24" (60 cm) x 24" (60 cm) | 30" (75 cm) x 30" (75 cm)









BOOMERANG WORKSURFACE ($D \times W \times Z$)

24" (60 cm) x 42" (105 cm) x 24" (60 cm) | 24" (60 cm) x 42" (105 cm) x 30" (75 cm)

HALF-ROUND WORKSURFACE (D x W)


24" (60 cm) x 50" (125 cm) | 30" (75 cm) x 62" (155 cm)

TRANSACTION COUNTER - STRAIGHT WORKSURFACE (D \times W)


14" (35 cm) x 24" (60 cm) | 14" (35 cm) x 30" (75 cm) | 14" (35 cm) 36" (90 cm) 14" (35 cm) x 42" (105 cm) | 14" (35 cm) x 48" (120 cm) | 14" (35 cm) x 60" (150 cm)

TRANSACTION COUNTER - CORNER WORKSURFACE (D \times W \times Z)

43.5" (110 cm) x 43.5" (110 cm) x 14" (35 cm)







Trans. Counter - Corner


_DIMENSIONS

SYNERGY

PANELS FOR BOOKCASE	MIXED PANELS (Height 45" (115 cm) / 2" depth)				
15" × 16" 15" × 26" 15" × 35" 15" × 41"	W: 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)				
MOUNTING TILES	MIXED PANELS (Height 55" (140 cm) / 2" depth)				
• Tackable: 24" x 12" 30" x 12" 36" x 12" 42" x 12" 48" x 12"	W: 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)				
• Mounting Tile: 24" x 10" 30" x 10" 36" x 10" 42" x 10" 48" x 10"					
FILING AND STORAGE	MIXED PANELS (Height 65" (165 cm) / 2" depth)				
• Pedestals: 16" x 23" x 29"	W: 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm) 60" (150 cm)				
• Lateral File: 35" x 19" x 28"					
• Combo file: 32" x 23" x 28"					
• Storage Cabinets: 24 x 24 x 45" 24 x 24 x 55" 24 x 24 x 65" 24 x 24 x 72"	MIXED PANELS (Height 75" (190 cm) / 2" depth)				
 Shelves: 18" x 14" x 6" 24" x 14" x 6" 30" x 14" x 6" 35" x 14" x 6" 41" x 14" x 6" 47" x 14" x 6" Overheads: 24" x 15" x 16" 30" x 15" x 16" 35" x 15" x 16" 41" x 15" x 16" 47" x 15" x 16" 	W: 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm)				
• Overheads, 24 × 13 × 10 30 × 13 × 10 33 × 13 × 10 41 × 13 × 10 47 × 13 × 10					
COLLABORATIVE PENINSULA TOPS	MIXED PANELS (Height 85" (215 cm) / 2" depth)				
59" x 47" 71" x 47"	W: 24" (60 cm) 30" (75 cm) 36" (90 cm) 42" (105 cm) 48" (120 cm)				
	FROSTED ACRYLIC DOORS				
	• For Straight conf.: 65" 75" 85"				
	• For "L" conf.: 65" 75" 85"				

• For "T" conf.: 75" | 85"





	WOOD VENEER	LOW PRESSURE	HIGH PRESSURE	WHITEBOARD	POWDER COATING	FABRIC A-E	ACRYLIC
Synergy Worksurfaces	•	•	•				
Synergy Panels		•				•	•
Synergy Structure					•		
Gallery Panels	•	•					
Metal Pedestals Structure					•		
Metal Pedestals Fronts	•	•	•		•		
Synergy Pedestals					•		
Shelves and Overheads	•	•	•		•		
Overhead - Flipper Door	•	•	•	•	•	•	
Cabinets Structure					•		
Cabinets Fronts	•	•			•		
Frosted Acrylic Doors							•
Acrylic Doors Frame					•		

LAMINATES

WOOD VENEER HIGH PRESSURE LAMINATES









SILVER APRICOT CN19



WENGUE CN23



CHERRY CN29



BLACK AP00



NEBULA AP08



SILVER AP10



MAPLE AP12



PLATINUM AP20

LOW PRESSURE LAMINATES



BLACK BP00



CHERRY BP04



ENGLISH OAK



BP07



PEAR BP09



SILVER BP10



WHITE BP11



WENGUE AP23



SPANISH OAK AP34



MAHOGANY AP62



WHITE

AP11

WHITEBOARD AP99



MAPLE BP12

OXFORD

BP30





BP16

SPANISH OAK

BP34



BP18

BAY SAND

BP38



PLATINUM BP20

STORM GRAY

BP43



WENGUE BP23

BP49



ANIGRE BP24



COSMOP. GRAY ARCTIC SKYLINE BP78 PT01



TEXT. ALUMINUM



BLACK PL00



PL11



POWDER COATING_

PLATINUM PL20




PL26

FABRICS

FABRIC GRADE A _











HARRY

PEAR

FH09

HARRY

SKY

FH65



FH86



FH90



PEAR TU09



MIX TY92 TY60



SILVER

TU10

NAVY

TU67



OBELISK

TW77



TW86







ONTARIO SILVER TA10



ONTARIO OXFORD BLUE





TA82





TS53

ADISSON

GRAY

TS06



ADISSON

CAPUCCINO

TS13



TS61

MIST

TS14



ADISSON

RED



FABRIC GRADE E

ADISSON

LEAD



HAZELNUT

TA87



TA96



TJ05

TA30



TA35



OXFORD

TN30

TA61





TS95

FABRIC DIRECTION *See page 50 for Fabric Direction Application Guidelines.

ADISSON

ORANGE

CREAM

TN81



TN82





TJ06








VINYL CATEGORY B _




.GUIDELINES


Fabrics that are patterned, textured, or have sheen can have a distinctly different appearance if applied in different directions on chairs or panels. Because of these differences, as well as width limits to how some fabrics can be applied to Gebesa products*, it is important to understand fabric applications.




Fabrics cannot be applied warp horizontal/railroaded on panels with a height greater than 48 inches because panel height is greater than fabric width.



Fabrics cannot be applied warp vertical on panels with a width greater than 48 inches because panel width is greater than fabric width.



Gebesa is not responsible for charges associated with replacement or reupholstering of products due to incorrect fabric specifications.



The combination of tall panels (height of 55 inches or more with warp vertical/off the roll) with short panels (height of 45 inches or less with warp horizontal) results in fabric patterns running in opposite directions.

The following options are available:

- Use solid or non-directional fabrics.
 (Various Gebesa fabrics are noted as "non-directional.")
- Specify warp vertical/off the roll application for fabrics that are standard warp horizontal.

If you require warp vertical and it is not standard for your fabric choice, you must specify the warp vertical option on each line of the order.

